



NEILSON RESEARCH CORPORATION

Environmental Testing Laboratory

12/20/2016

Dale Giovannetti
Central Point Sch. Dist/Sams Valley Elem
300 Ash St.
Central Point, OR 97502

TEL: (541) 494-6924

FAX

RE: Scenic - Lead

Order No.: 1612467

Dear Dale Giovannetti:

Neilson Research Corporation received 20 sample(s) on 12/13/2016 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Alec C Smith
Project Manager

245 S Grape St • Medford, OR 97501 • (541) 770-5678
400 SE G St, Suite B • Grants Pass, OR 97526 • (541) 479-4053

www.nrclabs.com

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

CLIENT: Central Point Sch. Dist/Sams Valley Elem
Project: Scenic - Lead
Lab Order: 1612467

Date: 20-Dec-16

CASE NARRATIVE

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Central Point Sch. Dist/Sams Valley Ele

300 Ash St.

Central Point, OR 97502

Lab Order: 1612467

Received Date: 12/13/2016 9:09:00 AM

Reported Date: 12/20/2016 11:51:26 AM

Sample Information: Scenic - Lead

Lab ID: 1612467-01

Collection Date: 12/13/2016 6:24:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26986

Source: City Water

Sample Location: B-7 Left Sink #1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00378		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-02

Collection Date: 12/13/2016 6:26:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26854

Source: City Water

Sample Location: B-7 Left Sink #2

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00268		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-03

Collection Date: 12/13/2016 6:27:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26964

Source: City Water

Sample Location: B-7 Left Sink #3

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00180		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-04

Collection Date: 12/13/2016 6:28:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26913

Source: City Water

Sample Location: B-7 Right Sink #1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00198		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-05

Collection Date: 12/13/2016 6:30:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26852

Source: City Water

Sample Location: B-7 Right Sink #2

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00206		0.0001	mg/L	1	12/15/2016	A

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- E Value above quantitation range
- J Analyte detected below quantitation limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Central Point Sch. Dist/Sams Valley Ele

300 Ash St.

Central Point, OR 97502

Lab Order: 1612467

Received Date: 12/13/2016 9:09:00 AM

Reported Date: 12/20/2016 11:51:26 AM

Sample Information: Scenic - Lead

Lab ID: 1612467-06

Collection Date: 12/13/2016 6:32:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26989

Source: City Water

Sample Location: B-7 Right Sink #3

Trace Metals by EPA 200.8 ICP-MS

Analyses	Result	Qual	MRL	Units	Dilution Factor	Analyst: BAR Date Analyzed	NELAP Accredited
Lead	0.00154		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-07

Collection Date: 12/13/2016 6:34:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26988

Source: City Water

Sample Location: B-7 Front

Trace Metals by EPA 200.8 ICP-MS

Analyses	Result	Qual	MRL	Units	Dilution Factor	Analyst: BAR Date Analyzed	NELAP Accredited
Lead	0.00188		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-08

Collection Date: 12/13/2016 6:06:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26990

Source: City Water

Sample Location: Copy Room

Trace Metals by EPA 200.8 ICP-MS

Analyses	Result	Qual	MRL	Units	Dilution Factor	Analyst: BAR Date Analyzed	NELAP Accredited
Lead	0.000978		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-09

Collection Date: 12/13/2016 7:05:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26992

Source: City Water

Sample Location: Band Room

Trace Metals by EPA 200.8 ICP-MS

Analyses	Result	Qual	MRL	Units	Dilution Factor	Analyst: BAR Date Analyzed	NELAP Accredited
Lead	0.0191		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-10

Collection Date: 12/13/2016 6:36:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26851

Source: City Water

Sample Location: B-6 Sink #2

Trace Metals by EPA 200.8 ICP-MS

Analyses	Result	Qual	MRL	Units	Dilution Factor	Analyst: BAR Date Analyzed	NELAP Accredited
Lead	0.0128		0.0001	mg/L	1	12/15/2016	A

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Central Point Sch. Dist/Sams Valley Ele

300 Ash St.

Central Point, OR 97502

Lab Order: 1612467

Received Date: 12/13/2016 9:09:00 AM

Reported Date: 12/20/2016 11:51:26 AM

Sample Information: Scenic - Lead

Lab ID: 1612467-11

Collection Date: 12/13/2016 6:11:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26984

Source: City Water

Sample Location: B-3 Left Sink #1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00939		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-12

Collection Date: 12/13/2016 6:12:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26850

Source: City Water

Sample Location: B-3 Left Sink #2

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00802		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-13

Collection Date: 12/13/2016 6:15:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26846

Source: City Water

Sample Location: B-3 Left Sink #3

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00271		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-14

Collection Date: 12/13/2016 6:17:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26914

Source: City Water

Sample Location: B-3 Right Sink #1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00708		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-15

Collection Date: 12/13/2016 6:20:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26987

Source: City Water

Sample Location: B-3 Right Sink #2

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00179		0.0001	mg/L	1	12/15/2016	A

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Central Point Sch. Dist/Sams Valley Ele
300 Ash St.
Central Point, OR 97502

Lab Order: **1612467**
Received Date: **12/13/2016 9:09:00 AM**
Reported Date: **12/20/2016 11:51:26 AM**

Sample Information: Scenic - Lead

Lab ID: 1612467-16

Collection Date: 12/13/2016 6:21:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26985
Source: City Water
Sample Location: B-3 Right Sink #3

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00159		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-17

Collection Date: 12/13/2016 6:44:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26956
Source: City Water
Sample Location: D-2 Sink #1

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00105		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-18

Collection Date: 12/13/2016 6:46:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26845
Source: City Water
Sample Location: D-2 Sink #2

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.000940		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-19

Collection Date: 12/13/2016 7:09:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26898
Source: City Water
Sample Location: D-3 Sink

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00388		0.0001	mg/L	1	12/15/2016	A

Lab ID: 1612467-20

Collection Date: 12/13/2016 6:40:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26853
Source: City Water
Sample Location: C-4 Sink

Trace Metals by EPA 200.8 ICP-MS					Dilution	Analyst: BAR	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited
Lead	0.00600		0.0001	mg/L	1	12/15/2016	A

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

CLIENT: Central Point Sch. Dist/Sams Valley Elem
Work Order: 1612467
Project: Scenic - Lead

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID MB-37254	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 12/14/2016	RunNo: 92008						
Client ID: ZZZZZ	Batch ID: 37254	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 12/15/2016	SeqNo: 1397166						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000100

Sample ID LCS-37254	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 12/14/2016	RunNo: 92008						
Client ID: ZZZZZ	Batch ID: 37254	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 12/15/2016	SeqNo: 1397167						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.09676 0.000100 0.1 0 96.8 85 115

Sample ID 1612467-20AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 12/14/2016	RunNo: 92008						
Client ID: Bottle #26853	Batch ID: 37254	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 12/15/2016	SeqNo: 1397190						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1025 0.000100 0.1 0.005995 96.5 70 130

Sample ID 1612467-20AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 12/14/2016	RunNo: 92008						
Client ID: Bottle #26853	Batch ID: 37254	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 12/15/2016	SeqNo: 1397191						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1005 0.000100 0.1 0.005995 94.5 70 130 0.1025 1.97 20

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information

Company: CP SANDOZ DISTRICT #6
 Address: 300 ASH ST
CENTRAL POINT, OR 97502
 Email: Mike Taylor District 6005
 Phone: 541-454-6521 Fax: _____
 Collected By (Print): Mike Taylor
 Collected By (Sign): [Signature]
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B Required Project Information

Project Name: SAENIC
 Project Number: _____
 Report To: _____
 Copy To: _____
 P.O. # _____

Section C Invoice Information

Attention: _____
 Company Name: _____
 Address: _____

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other _____
 Authorized Yes No

Section E Sample Information


Sample ID	Comp/Grab	Matrix	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	NRC Sample # (Lab Use Only)
B-7 LEFT SINK #1	26986	DW	12/13/16	6:24	1	LEAD	1619467	01
B-7 LEFT SINK #2	26854	DW	12/13/16	6:26	1			02
B-7 LEFT SINK #3	26964	DW	12/13/16	6:27	1			03
B-7 RIGHT SINK #1	26913	DW	11	6:28	1			04
B-7 RIGHT SINK #2	26852	DW	11	6:30	1			05
B-7 RIGHT SINK #3	26989	DW	11	6:32	1			06
B-7 FRONT	26988	DW	11	6:34	1			07
COPI ROOM	26990	DW	11	6:34	1			08
BAND ROOM	26992	DW	11	6:36	1			09
B-6 - SINK #2	26851	DW	12/13/16	6:36	1			10

Section F
 Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other
 Relinquished By: [Signature] Sign
 Received By: Mike Taylor Date
 Relinquished By: Terina Schmedeman Time
 Received By: 12-13-16 9:09

Section G Lab Use Only

Temp: AMB
 4°C +/- 2°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: 10
 pH Checked: N/A
 COC Spill Injct: Yes No
 Field Blank Included: Yes No

Payment: Invoice Cash VISA/M/C Check # _____
 Received Via: UPS FedEx Other Hand
 Amount: _____



Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A
Required Client Information

Company: CP SCHOOL DISTRICT #6
Address: 300 ASH ST
LEWIS & CLARK POINT, OR 97562
Email: Mik Taylor @ District #6.ORG
Phone: 541-494-6521 Fax: _____
Collected By (Print): Mik Taylor
Email Report: Yes ___ No ___ Mail Report: Yes ___ No ___
Fax Report: Yes ___ No ___

Section B
Required Project Information

Project Name: SCENIC
Project Number: _____
Report To: _____
Copy To: _____
P.O. # _____

Section C
Invoice Information

Attention: _____
Company Name: _____
Address: _____
P.O. # _____

Section D
Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24-48 hours (100% surcharge)
 Other: _____
 Authorized: Yes ___ No ___

Section E
Sample Information

Sample ID	Comp/Grab	Matrix	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	NRC Sample # (Lab Use Only)
B-3 LEFT SINK #1	269884	DW	12/13/16	6:11	1	LEAD	1613447	
B-3 LEFT SINK #2	268556	DW	11	6:12	1			
B-3 LEFT SINK #3	268946	DW	11	6:15	1			
B-3 RIGHT SINK #1	269144	DW	11	6:17	1			
B-3 RIGHT SINK #2	269887	DW	11	6:20	1			
B-3 RIGHT SINK #3	269855	DW	11	6:21	1			
D-2 SINK #1	269556	DW	11	6:44	1			
D-2 SINK #2	268445	DW	11	6:46	1			
D-3 SINK	268948	DW	11	7:09	1			
C-4 SINK	268553	DW	12/13/16	6:40	1			20

Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Soil SL - Sludge O - Oil WP - Wipe OT - Other

Section F
Relinquish/Receive

Relinquished By: [Signature] Sign
Received By: [Signature] Sign
Received By: [Signature] Sign
Received By: [Signature] Sign
Received By Laboratory: _____

Section G
Lab Use Only

Temp: _____
 4°C +/- 2°C: Yes ___ No ___
 Received on ice: Yes ___ No ___
 Number of Bottles Received: 10
 pH Checked: NA
 COC Seals Intact: Yes ___ No ___
 Field Blank Included: Yes ___ No ___

Payment: Invoice Cash VISA, M/C Check # _____

Received Via: UPS FedEx Other Hand

Amount: _____