

NEILSON RESEARCH CORPORATION

Environmental Testing Laboratory

4/11/2017

Dale Giovannetti
Central Point Sch. Dist/Sams Valley Elem
300 Ash St.
Central Point, OR 97502

TEL: (541) 494-6924
FAX

RE: Lead Testing-Scenic

Order No.: 1704065

Dear Dale Giovannetti:

Neilson Research Corporation received 17 sample(s) on 4/4/2017 for the analyses presented in the following report.

The results relate only to the parameters tested or to the sample as received by the laboratory. This report shall not be reproduced except in full, without the written approval of Neilson Research Corporation. If you have any questions regarding these test results, please feel free to call.

Sincerely,
Neilson Research Corporation

Ronald W. Canady
Project Manager

245 S Grape St • Medford, OR 97501 • (541) 770-5678
400 SE G St, Suite B • Grants Pass, OR 97526 • (541) 479-4053

www.nrclabs.com

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

CLIENT: Central Point Sch. Dist/Sams Valley Elem
Project: Lead Testing-Scenic
Lab Order: 1704065

Date: 11-Apr-17

CASE NARRATIVE

The analyses were performed according to the guidelines in the Neilson Research Corporation Quality Assurance Program. This report contains analytical results for the sample(s) as received by the laboratory.

Neilson Research Corporation certifies that this report is in compliance with the requirements of NELAP. No unusual difficulties were experienced during analysis of this batch except as noted below or qualified with data flags on the reports.

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Central Point Sch. Dist/Sams Valley Ele

300 Ash St.

Central Point, OR 97502

Lab Order: 1704065

Received Date: 4/4/2017 8:48:00 AM

Reported Date: 4/11/2017 5:06:02 PM

Sample Information: Lead Testing-Scenic

Lab ID: 1704065-01

Collection Date: 3/31/2017 8:03:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26957

Source: City Water

Sample Location: Rm B-3 N Right Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed		
Lead	0.0331	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-02

Collection Date: 3/31/2017 8:02:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26920

Source: City Water

Sample Location: Rm B-3 N Middle Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed		
Lead	0.0164	CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-03

Collection Date: 3/31/2017 8:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26888

Source: City Water

Sample Location: Rm B-3 N Left Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed		
Lead	0.0224	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-04

Collection Date: 3/31/2017 8:04:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26950

Source: City Water

Sample Location: Rm B-3 S Left Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed		
Lead	0.197	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-05

Collection Date: 3/31/2017 8:04:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26952

Source: City Water

Sample Location: Rm B-3 S Middle Sink

Trace Metals by EPA 200.8 ICP-MS							Analyst: OML	NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Date Analyzed		
Lead	0.0378	*CF	0.0001	mg/L	1	4/7/2017	A	

Qualifiers:
* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Central Point Sch. Dist/Sams Valley Ele
300 Ash St.
Central Point, OR 97502

Lab Order: **1704065**
Received Date: **4/4/2017 8:48:00 AM**
Reported Date: **4/11/2017 5:06:02 PM**

Sample Information: Lead Testing-Scenic

Lab ID: 1704065-06

Collection Date: 3/31/2017 8:05:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26999
Source: City Water
Sample Location: Rm B-3 S Right Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0814	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-07

Collection Date: 3/31/2017 8:05:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26844
Source: City Water
Sample Location: Rm B-3 Teacher's Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0242	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-08

Collection Date: 3/31/2017 8:11:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26963
Source: City Water
Sample Location: Rm B-7 Teacher's Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.172	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-09

Collection Date: 3/31/2017 8:10:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26830
Source: City Water
Sample Location: Rm B-7 S Right Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0197	CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-10

Collection Date: 3/31/2017 8:07:00 AM
Matrix: DRINKING WATER

Client Sample ID: Bottle #26962
Source: City Water
Sample Location: Rm B-7 S Middle Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0214	*CF	0.0001	mg/L	1	4/7/2017	A	

Qualifiers:

- | | |
|--|---|
| <ul style="list-style-type: none"> * Value exceeds Maximum Contaminant Level E Value above quantitation range J Analyte detected below quantitation limits S Spike Recovery outside accepted recovery limits | <ul style="list-style-type: none"> B Analyte detected in the associated Method Blank H Holding times for preparation or analysis exceeded ND Not Detected at the Minimum Reporting Limit |
|--|---|

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Central Point Sch. Dist/Sams Valley Ele

300 Ash St.

Central Point, OR 97502

Lab Order: 1704065

Received Date: 4/4/2017 8:48:00 AM

Reported Date: 4/11/2017 5:06:02 PM

Sample Information: Lead Testing-Scenic

Lab ID: 1704065-11

Collection Date: 3/31/2017 8:05:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26916

Source: City Water

Sample Location: Rm B-7 N Middle Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0405	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-12

Collection Date: 3/31/2017 8:00:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26953

Source: City Water

Sample Location: Rm B-7 N Left Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0902	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-13

Collection Date: 3/31/2017 8:05:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26919

Source: City Water

Sample Location: Rm B-7 S Left Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.120	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-14

Collection Date: 3/31/2017 8:10:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26889

Source: City Water

Sample Location: Rm B-7 N Right Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0295	*CF	0.0001	mg/L	1	4/7/2017	A	

Lab ID: 1704065-15

Collection Date: 3/31/2017 8:09:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26922

Source: City Water

Sample Location: Rm C-4 Sink

Trace Metals by EPA 200.8 ICP-MS						Dilution	Analyst: OML	NELAP
Analyses	Result	Qual	MRL	Units	Factor	Date Analyzed	Accredited	
Lead	0.0117		0.0001	mg/L	1	4/7/2017	A	

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation

245 South Grape Street, Medford, Oregon 97501 541-770-5678 Fax 541-770-2901

Analysis Report

ORELAP 100016
EPA OR00028

Central Point Sch. Dist/Sams Valley Ele

300 Ash St.

Central Point, OR 97502

Lab Order: 1704065

Received Date: 4/4/2017 8:48:00 AM

Reported Date: 4/11/2017 5:06:02 PM

Sample Information: Lead Testing-Scenic

Lab ID: 1704065-16

Collection Date: 3/31/2017 8:13:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26959

Source: City Water

Sample Location: Copy Room Sink

Trace Metals by EPA 200.8 ICP-MS							NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Analyst: OML Date Analyzed	
Lead	0.00312		0.0001	mg/L	1	4/7/2017	A

Lab ID: 1704065-17

Collection Date: 3/31/2017 8:14:00 AM

Matrix: DRINKING WATER

Client Sample ID: Bottle #26995

Source: City Water

Sample Location: Band Room Sink

Trace Metals by EPA 200.8 ICP-MS							NELAP Accredited
Analyses	Result	Qual	MRL	Units	Dilution Factor	Analyst: OML Date Analyzed	
Lead	0.0237	*CF	0.0001	mg/L	1	4/7/2017	A

Qualifiers:

* Value exceeds Maximum Contaminant Level
E Value above quantitation range
J Analyte detected below quantitation limits
S Spike Recovery outside accepted recovery limits

B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Minimum Reporting Limit

Neilson Research Corporation
DATA FLAGS

B	Analyte detected in the associated method blank.
BA	BOD Alternative Calculation: The initial results performed by Standard Methods did not fall within parameters of the Standard Methods calculation. An alternate approved calculation was performed using the HACH method and the value reported is an estimated concentration.
C	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria. See Case Narrative.
C1	Sample(s) does not meet NELAP/ORELAP sample acceptance criteria for temperature.
CF	Results confirmed by re-analysis.
CU	Cleanup performed as specified by method.
D1	The diesel elution pattern for the sample is not typical.
D2	The sample appears to be a heavier hydrocarbon range than diesel.
D3	The sample appears to be a lighter hydrocarbon range than diesel.
D4	Detected hydrocarbons do not have pattern and range consistent with typical petroleum products and may be due to biogenic interference.
D5	Detected hydrocarbons in the diesel range appear to be weathered diesel.
E	Estimated value.
ER	Elevated reporting limit due to matrix. Report limits (MDLs, MRLs & PQLs) are adjusted based on variations in sample preparation amounts, analytical dilutions, and percent solids, where applicable.
FC	Fecal Coliforms: Sample(s) received past 40 CFR Part 136 specified holding time. Results reported as estimated values.
G1	The gasoline elution pattern for the sample is not typical.
G2	The sample appears to be a heavier hydrocarbon range than gasoline.
G3	The sample appears to be a lighter hydrocarbon range than gasoline.
G4	Detected hydrocarbons in the gasoline range appear to be weathered gasoline.
HP	Sample re-analysis performed outside of method specified holding time.
HR	Sample received outside of method specified holding time.
HS	Sample analyzed for volatile organics contained headspace.
HT	At the client's request, the sample was analyzed outside of method specified holding time.
H	Analysis performed outside of method specified holding time.
J	Analyte detected below the Minimum Reporting Limit (MRL) and above the Method Detection Limit (MDL). The J flag result is an estimated value and the user should be aware that this data is of limited reliability.
MI	Surrogate or Matrix Spike recovery is out of control limits due to matrix interference. Sample results may be biased.
N	See Case Narrative on page 2 of report.
Q	Closing continuing calibration verification (CCV) or laboratory control sample (LCS) exceeded high recovery limits, but associated samples are non-detect and the sample results are not affected. Data meets EPA/NELAP requirements.
R	Relative percent difference (RPD) is outside of the accepted recovery limits.
R1	Relative percent difference (RPD) is outside of the accepted recovery limits. However, analyses are not controlled on RPD values for sample concentrations that are less than the reporting limit.
R3	The relative percent difference (RPD) and/or percent recovery for the duplicate (DUP) or matrix spike (MS)/matrix spike duplicate (MSD) cannot be accurately calculated due to the concentration of analyte already present in the sample.
R4	Duplicate analysis failed due to result being at or near method reporting limit.
S	Surrogate and/or matrix spike recovery is outside of the accepted recovery limits. Sample results may be biased.
S1	Surrogate or matrix spike recovery is outside of control limits due to dilution necessary for analysis.
SC	Sub-contracted to another laboratory for analysis.
SP	Sample(s) were not collected per EPA Method 5035A protocols. The results are considered minimum values.
T	Toxicity Characteristic Leaching Procedure – Sample submitted contained < 0.5% solids. If the waste contains <0.5% dry solids, the liquid portion of the waste, after filtration, is defined as the TCLP extract.
#	Value exceeds regulatory level for TCLP contaminant.
X1	The motor oil elution pattern for the sample is not typical.
X2	The sample appears to be a heavier hydrocarbon range than motor oil.
X3	The sample appears to be a lighter hydrocarbon range than motor oil.
*	Value exceeds Maximum Contaminant Level or is outside the acceptable range.

NRC SOP QA-1104/AD-3100
Revision 3
Effective Date: 6/3/16

CLIENT: Central Point Sch. Dist/Sams Valley Elem
Work Order: 1704065
Project: Lead Testing-Scenic

ANALYTICAL QC SUMMARY REPORT

TestCode: ICPMS_200.8_SCHOOL

Sample ID MB-37984	SampType: MBLK	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 4/5/2017	RunNo: 94341						
Client ID: ZZZZZ	Batch ID: 37984	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 4/7/2017	SeqNo: 1429590						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead ND 0.000100

Sample ID LCS-37984	SampType: LCS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 4/5/2017	RunNo: 94341						
Client ID: ZZZZZ	Batch ID: 37984	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 4/7/2017	SeqNo: 1429591						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.09763 0.000100 0.1 0.000011 97.6 85 115

Sample ID 1704074-03AMS	SampType: MS	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 4/5/2017	RunNo: 94341						
Client ID: ZZZZZ	Batch ID: 37984	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 4/7/2017	SeqNo: 1429614						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1123 0.000100 0.1 0.02055 91.7 70 130

Sample ID 1704074-03AMSD	SampType: MSD	TestCode: ICPMS_200.8	Units: mg/L	Prep Date: 4/5/2017	RunNo: 94341						
Client ID: ZZZZZ	Batch ID: 37984	TestNo: EPA 200.8	(EPA 200.8)	Analysis Date: 4/7/2017	SeqNo: 1429615						
Analyte	Result	MRL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Lead 0.1152 0.000100 0.1 0.02055 94.6 70 130 0.1123 2.55 20

Qualifiers: E Value above quantitation range H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits
 ND Not Detected at the Minimum Reporting Limit R RPD outside accepted recovery limits S Spike Recovery outside accepted recovery limits



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A
 Required Client Information

Company: CP School District B
 Address: 300 Ash Street
 Central Point or 97502
 Email:
 Phone: Fax:
 Collected By (Print): Self car
 Collected By (Sign): Self car
 Email Report Yes No Mail Report Yes No
 Fax Report Yes No

Section B
 Required Project Information

Project Name: SCENE
 Project Number:
 Report To:
 Copy To:
 P.O. #

Section C
 Invoice Information

Attention:
 Company Name:
 Address:
 P.O. #

Section D
 Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other _____
 Authorized Yes No

Section E
 Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested
RM B-3 North Right sink	26957	DW	3-31-17	8:03 AM	1	Lead
RM B-3 Middle sink	26920	DW	3-31-17	8:02 AM	1	
RM B-3 North left sink	26888	DW	3-31-17	8:00 AM	1	
RM B-3 South left sink	26950	DW	3-31-17	8:04 AM	1	
RM B-3 South Middle sink	26952	DW	3-31-17	8:04 AM	1	
RM B-3 South Right sink	26949	DW	3-31-17	8:05 AM	1	
RM B-3 Teacher's sink	26844	DW	3-31-17	8:05 AM	1	
RM B-7 Teacher's sink	26963	DW	3-31-17	8:11 AM	1	
RM B-7 South Right sink	26832	DW	3-31-17	8:10 AM	1	
RM B-7 South Middle sink	26962	DW	3-31-17	8:07	1	

*Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other

Section F
 Relinquish/Receive

Relinquished By: [Signature] Sign
 Received By: [Signature] Sign
 Relinquished By:
 Received By:
 Relinquished By:
 Received By:
 Relinquished By:
 Received By: [Signature] Sign


Date: 4/14/17 Time: 9:48

Received By Laboratory: [Signature] Sign

Section G
 Lab Use Only

Temp: HMD
 4°C +/- 2°C: Yes No
 Received on Ice: Yes No
 Number of Bottles Received: 17
 pH Checked: NA
 COC Seals Intact: Yes No NA
 Field Blank Included: Yes No

Received Via: UPS FedEX Other Hand
 Payment: Invoice Cash VISA/MC Check # Amount



Environmental Testing Laboratory
 245 South Grape Street • Medford, OR 97501
 (541) 770-5678 Fax (541) 770-2901

Chain of Custody Record

This Chain of Custody is a LEGAL DOCUMENT and must be filled out accurately.

Section A Required Client Information

Company: CP School District #6
 Address: 300 Ash Street
 Email:
 Phone: Fax:
 Collected By (Print): Self Car
 Collected By (Sign): *Self Car*
 Email Report Yes ___ No ___
 Fax Report Yes ___ No ___

Section B Required Project Information

Project Name: SCARLE
 Project Number:
 Report To:
 Copy To:
 Attention:
 Company Name:
 Address:
 P.O. #

Section C Invoice Information

Analysis Requested

Section D Rush Status (Subject to Scheduling)

Standard 10-14 Days
 5 Business Days (50% surcharge)
 3 Business Days (75% surcharge)
 24 - 48 hours (100% surcharge)
 Other _____
 Authorized Yes ___ No ___

Section E Sample Information

Sample ID	Comp/Grab	Matrix*	Date Collected	Time Collected	No. of Containers	Analysis Requested	NRC Workorder # (Lab Use Only)	NRC Sample # (Lab Use Only)
B7 North Middle Sink	26916	DW	3-31-17	9:05 AM	1	Lead	1704005	11
RM D7 North Left Sink	26953	DW	3-31-17	8:00 AM	1			13
RM D7 South Left Sink	26919	DW	3-31-17	8:05 AM	1			14
RM D7 North Right Sink	26989	DW	3-31-17	8:10 AM	1			15
RM C4 Sink	26922	DW	3-31-17	8:09 AM	1			16
COPY RM Sink	26999	DW	3-31-17	8:13 AM	1			17
BAND RM Sink	26995	DW	3-31-17	9:14 AM	1			18

Section F
 Matrix: DW - Drinking Water WW - Wastewater W - Water S - Soil/Solid SL - Sludge O - Oil WP - Wipe OT - Other
 Relinquished By: *Self Car* Sign
 Received By: *Self Car* Date: 3/31/17 Time: 8:48

Section G Lab Use Only

Temp: *AWD*
 4°C +/- 2°C: Yes ___ No ___
 Received on Ice: Yes ___ No ___
 Number of Bottles Received: 17
 PH Checked: *NA*
 COC Seals Intact: Yes ___ No ___
 Field Blank Included: Yes ___ No ___
 Payment: Invoice ___ Cash ___
 Received Via: UPS ___ FedEx ___ Other ___
 VISA ___ MC ___ Check # ___ Amount ___